

ITCertTest



<p>Instant Update</p> <p>We are checking our exam questions all the time.</p> 	 <p>Security & Privacy</p>	 <p>24/7 customer support</p>
<p>Free Demo Download</p> <p>Try before you buy, Download a free sample of any of our exam questions and answers.</p> 	<p>One Year Free Update</p> <p>Free update is available within One Year after your purchase.</p> 	

<http://www.itcerttest.com>

IT exam study guide / simulations

Exam : 310-066

Title : Upgrade EXAM for the Sun Certified
for Java Programmer.SE6.0

Vendors : SUN

Version : DEMO

NO.1 list.add("foo");

NO.2 Given:

```
10. interface Foo {}
11. class Alpha implements Foo {}
12. class Beta extends Alpha {}
13. class Delta extends Beta {
14. public static void main( String[] args ) {
15. Beta x = new Beta();
16. // insert code here
17. }
18. }
```

Which code, inserted at line 16, will cause a java.lang.ClassCastException?

- A.Alpha a = x;
- B.Foo f = (Delta)x;
- C.Foo f = (Alpha)x;
- D.Beta b = (Beta)(Alpha)x;

Answer:B

NO.3 Given:

```
11. public class Test {
12. public enum Dogs {collie, harrier, shepherd};
13. public static void main(String [] args) {
14. Dogs myDog = Dogs.shepherd;
15. switch (myDog) {
16. case collie:
17. System.out.print("collie ");
18. case default:
19. System.out.print("retriever ");
20. case harrier:
21. System.out.print("harrier ");
22. }
23. }
24. }
```

What is the result?

- A.harrier
- B.shepherd
- C.retriever

- D.Compilation fails.
- E.retriever harrier
- F.An exception is thrown at runtime.

Answer:D

NO.4 Given:

```
21. class Money {
22. private String country = "Canada";
23. public String getC() { return country; }
24. }
25. class Yen extends Money {
26. public String getC() { return super.country; }
27. }
28. public class Euro extends Money {
29. public String getC(int x) { return super.getC(); }
30. public static void main(String[] args) {
31. System.out.print(new Yen().getC()+ " " + new Euro().getC());
32. }
33. }
```

What is the result?

- A.Canada
- B.null Canada
- C.Canada null
- D.Canada Canada
- E.Compilation fails due to an error on line 26.
- F.Compilation fails due to an error on line 29.

Answer:E

NO.5 Given:

```
3. import java.util.*;
4. public class Hancock {
5. // insert code here
```

NO.6 }

NO.7 A UNIX user named Bob wants to replace his chess program with a new one, but he is not sure where

the old one is installed. Bob is currently able to run a Java chess program starting from his

home directory

/home/bob using the command:

```
java -classpath /test:/home/bob/downloads/*.jar games.Chess
```

Bob's CLASSPATH is set (at login time)

to:/usr/lib:/home/bob/classes:/opt/java/lib:/opt/java/lib/*.jarWhat is a possible location for the Chess.class file?

A./test/Chess.class

B./home/bob/Chess.class

C./test/games/Chess.class

D./usr/lib/games/Chess.class

E./home/bob/games/Chess.class

F.inside jarfile /opt/java/lib/Games.jar (with a correct manifest)

G.inside jarfile /home/bob/downloads/Games.jar (with a correct manifest)

Answer:C

NO.8 }

Which two code fragments, inserted independently at line 5, will compile without warnings?

(Choose two.)

A.public void addStrings(List list) {B.public void addStrings(List list) {C.public void addStrings(List list)

{D.public void addStrings(List list) {

Answer: BC